



Zebra ZD411 Compact Thermal-Transfer/ Direct Thermal Printer

The Zebra ZD411 is a compact and user-friendly thermal printer designed to deliver reliable performance in space-limited lab and healthcare environments. Its intuitive design, flexible connectivity, and support for high-quality barcode labeling make it an efficient solution for everyday specimen and prescription labeling tasks.

300 dpi print resolution for small label printing

Fast printing speeds, up to 4"/per second

Ethernet, Wi-Fi, and Bluetooth connection options

Product SKU #: ZD411T-300



Technical Specifications

Model: ZD411t-300

Print Method: Thermal Transfer/ Direct thermal

Resolution (DPI): 300 (12 dots per mm)

Printer Interfaces: Ethernet, USB, USB Host

Optional Communication Interfaces: Serial, wireless radio: 802.11ac Wi-Fi and Bluetooth 4.1

Maximum Print Speed: Up to 4"/ 102mm per second

Media Sensors: Full width, moveable reflective/black mark sensor; multi-position transmissive/ gap sensor

Maximum Print Width: 2.13" (54mm)

Media Width: 0.585" – 2.36" (15 – 60mm)

Label Height/ Length: 0.25" (6.4mm) to 39" (991mm)

Media Roll Outer Diameter: 5" (127mm)

Core Inner Diameter: 0.5" (12.7mm) and 1" (25.4mm)

Ribbon Standard Length: 243 ft. (74m)

Ribbon Width: 1.3" (33mm) to 2.24" (58mm)

Ribbon Core I.D.: 0.5" (12.7mm)

SDRAM Memory: 256 MB DDR3

Flash Memory: 512 MB

Printing kits are available on demand. Contact our technical support team for further information.